



**CAPACITY:**

Max Safe Load 10000kg  
 Heaped 5070L  
 Struck: 4140L  
 Water: 2400L

**ENGINE:**

Deutz TCD 3.6  
 Displacement: 3.6L  
 Max. power: 55.4kW @ 2200rpm  
 Max. torque: 390Nm @ 1300rpm  
 Fuel: Diesel  
 Emissions: Stage 4

**TRANSMISSION:**

Torque Converter c/w 4 speed forward and reverse power shuttle transmission  
 Permanent 4 wheel drive

**DRIVE CHARACTERISTICS:**

Forward / Reverse	1st	0-4.7 km/h	(0-3.0 mph)
	2nd	0-7.5 km/h	(0-4.7 mph)
	3rd	0-14.2 km/h	(0-8.9 mph)
	4th	0-26 km/h	(0-16.3 mph)

Steering Angle

Turning Circle: 12.42m

Grade-ability: 50%

Tyres: 500/60 R22.5 (Traction Profile)

Steering: Priority load sensing hydrostatic centre pivot

Working brakes: Multi-plate oil immersed discs mounted on both axles

Park brake: Hand operated, locking on dry disc acting on gearbox

**NOISE LEVELS:**

LWA 101dB(A)

LPA 85dB(A)

**TANK CAPACITIES:**

Fuel: 70L

Hydraulic: 70L

**SKIP:**

Manufactured from higher tensile steels

Hydraulically operated tipping 80°

Heavy duty fully welded skip with 8mm thick steel base, reinforced upper side walls for greater strength

**ELECTRICAL INSTALLATION:**

Heavy duty 60045 Battery: 12V, 185Ah 1000cca

Wiring harness in protective sleeving

Reversing alarm

**HYDRAULICS:**

Hydraulic test points fitted as standard

Easy access return oil filter on top of tank

**SEATING & CONTROLS**

Adjustable suspension seat accessible from both sides

Clear access across dumper via galvanised steps

Extra wide brake pedal

Super bright warning lights & fuel gauge

Steel constructed centre console for extra leg protection

Operator level gear selection lever with integrated clutch button

Column mounted directional control lever

Anti-slip floor

**SERVICE ACCESS:**

Easy access for service & maintenance

Lockable hinged engine cover

Battery mounted securely under engine cover



**NC Engineering (Hamiltonsbawn) Ltd**

2 Killyrudden Road, Hamiltonsbawn

Richhill, Co Armagh

Northern Ireland BT61 9SF

Tel: +44 (0) 28 3887 1970

Fax: +44 (0) 28 3887 0362

Email: [sales@nc-engineering.com](mailto:sales@nc-engineering.com)

Web: [www.nc-engineering.com](http://www.nc-engineering.com)